

 E182481





Features:

- * Available in 02 through 16 Circuits
- * Material: Nylon 66 UL94V-0
- * Accepts YY-1000A-T Crimp Terminal
- * Color: White

Ordering information:


YY-1000A-H XX
1 2


1 H=Housing
 2 No. of Circuits 02~16



P.C.B LAYOUT

Circuits	Dimension mm	
	A	B
2	2.50	6.60
3	5.00	9.10
4	7.50	11.60
5	10.00	14.10
6	12.50	16.60
7	15.00	19.10
8	17.50	21.60
9	20.00	24.10
10	22.50	26.60
11	25.00	29.10
12	27.50	31.60
13	30.00	34.10
14	32.50	36.60
15	35.00	39.10
16	37.50	41.60

EDITION	DATE	MODIFY	DRAW BY	WangJM	VIEW:	TOLERANCE	2.5mm (.098") Pitch Housing	Approved by KINSWOOD ELECTRONICS CORP.
AO	2006.01.20	DRAWING	AUDITING	GUAN		.0 ±0.25	PART NO: YY-1000A-HXX	
			APPROVAL	SUNNY	UNIT: mm	.00 ±0.15	DWG NO: B2501H014	
						.000 ±0.05	REV. AO	





Features:

- * Used in YY-1000A-H Series Housing
- * Accepts AWG 22~28 Wire Range
- * Insulation O.D.= 1.90mm(max)
- * Material : Brass
- * Finish : Tin-Plated
- * Qty/Reel : 10,000 PCS
- * Thickness: 0.2mm


Ordering information:

YY- 1000A-T X X X
1 2 3 4 5

- 1 T=Terminal
- 2 Plated:
T=Tin G=Gold
- 3 Plated Method:
A: Plated before stamping
B: Stamping before plated
- 4 Material:
□BRASS
P:Phosphor bronze

EDITION	DATE	MODIFY	DRAW BY	J.Chen	VIEW:	TOLERANCE		2.50mm (.098") Pitch Crimp Terminal	
A0	2005.11.18	DRAWING	AUDITING	Jeff		.0	±0.20	PART NO: YY-1000A-TXXX	
A1	2006.08.11	DRAWING	APPROVAL	Jessica		.00	±0.13	DWG NO: B2502T058	
					UNIT: mm	.000	±0.05	REV.	A1

Approved by
KINSWOOD ELECTRONICS CORP.





Features:

- * Used in YY-1000AR-H Series Housing
- * Accepts AWG 22~28 Wire Range
- * Insulation O.D.= 1.90mm(max)
- * Material : Phosphor bronze/Brass
- * Finish : Tin-plated
- * Thickness: 0.2mm
- * Qty/reel: 10,000pcs

Ordering information:

YY- 1000AR-T X X X
1 2 3 4

- 1 T=Terminal
- 2 Plated:
T=Tin G=Gold
- 3 Plated Method:
A: Plated before stamping
B: Stamping before plated
- 4 Material:
□BRASS
P:Phosphor bronze

EDITION	DATE	MODIFY	DRAW BY	J.Chen	VIEW:	TOLERANCE	2.50mm (.098") Pitch Crimp Terminal
A0	2002.07.09	DRAWING	AUDITING	Jeff		.0 ±0.25	PART NO: YY-1000AR-TXXX
A1	2006.08.11	CHANGE	APPROVAL	Jessica		.00 ±0.15	DWG NO: B2500T058
					UNIT: mm	.000 ±0.08	REV. A1

Approved by
KINSWOOD ELECTRONICS CORP.

 E182481





Features:

- * Available in 02 through 16 Circuits
- * Material: Nylon 66 UL94V-0
- * Accepts YY-1000AR-T Crimp Terminal
- * Color: White

Ordering information:


YY-1000AR-HXX
 1 2

1 H=Housing
2 No. of Circuits 02~16



P.C.B LAYOUT

Circuits	Dimension mm	
	A	B
2	2.50	6.50
3	5.00	9.00
4	7.50	11.50
5	10.00	14.00
6	12.50	16.50
7	15.00	19.00
8	17.50	21.50
9	20.00	24.00
10	22.50	26.50
11	25.00	29.00
12	27.50	31.50
13	30.00	34.00
14	32.50	36.50
15	35.00	39.00
16	37.50	41.50

EDITION	DATE	MODIFY	DRAW BY	WangJM	VIEW:	TOLERANCE	2.5mm (.098") Pitch Housing		Approved by KINSWOOD ELECTRONICS CORP.
AO	2006.01.20	DRAWING	AUDITING	GUAN		.0 ±0.25	PART NO: YY-1000AR-HXX		
			APPROVAL	SUNNY	UNIT: mm	.00 ±0.15	DWG NO: B2500H014		
						.000 ±0.05	REV. AO		